



African Horse Sickness (AHS)



WINNING PERFORMANCE A-H-S PROGRAM

Used successfully for the past 5 seasons.

Call the following people who have helped save their horses using our products: **Penny Winters** 083 364 0753 **Carl Bronner** 082 807 7772 **Gail Boettiger** 083 288 8870 **Kelly McKenzie** 033-330 7503 **Chris Barras** 033 702 0112, **GEOFF MORLEY** 082 801 7796 (agent for JHB)
For products call **Lester 0721299743**

CAUSE & VIRUS TRANSMISSION

Transmitted by the **Culicoides fly** of which there are some **120 species**. The virus supposedly comes from Zebras, who have become immune over centuries. If this is indeed so, horse sickness will only get worse.

LOOK OUT FOR THESE SYMPTOMS

- Restlessness
- Swelling of the eyes, muscle, and/or lungs (**put your ear to the horses lungs & listen to it's breathing, gurgling is not good**)
- Fever, take temps A/M & P/M. record each horse temperatures, below 36.5c or above 38°c or 1.5 over normal treat immediately, **don't uses DRUGS to down temp**, THAT TEMP IS by THE CREATORS DESIGN???? No one will, or can improve on him.
- Sweating & muscle swelling on any body part, treat immediately
- Lacking energy or if they go off their food or water, treat immediately
- Breathing difficulties (high or low) generally din kop, treat immediately
- Coughing, & temp treat immediately
- Discharge from the nose, treat immediately
- Excess saliva, grinding of teeth, treat immediately
- Muscle haemorrhage, **not moving normally** (stiff), treat immediately
- Impacted colic, administer **30g** Epsom salts **30g** sodium bicarbonate every hour, stay in paddock with horse, till it clears, then check temps.
- Marked swelling of the indentation above the eyes. If the eyes are bulging, double dose immediately.

PREVENTION

Start in October. We have two homeopathic viral prophylactics that can be used in early in the season. **PC1 & 3 months later PC2 (booster) (R100.00 each (discount available for bulk purchases)** do not totally eliminate the possibility of infection, but when a horse is infected and you treat it with our products, they seem to respond far quicker.

Use **20 drops or 1ml** of **35%** hydrogen peroxide into drinking water as a preventative and **60 drops or 2 ml** when treating AHS. **TIP:** Plastic buckets leach petroleum! Use stainless steel, enamel (best) or galvanized buckets. **Avoid using cement mangers**, they BREED VIRUS, FUNGUS, BACTERIA. Substitute with **STAINLESS STEEL**, enamel, galvanized buckets, or plastic. **No herbicide or pesticide sprays (chemicals, over load the immune system?).**

FLY CONTROL

Fly traps have been available in the past from Onderstepoort and they should be used around stables. The best way to prevent horse sickness is to contact all horse owners in your immediate

area, so that you know whose stables have been infected. Then all go out and Spray a fine layer of old vegetable oil (ask your local MacDonald's or Kentucky for their old oil) on all stagnant water on your property. It appears they breed in stagnant water.

Deworm, day on day off for 6 days, every 12 weeks, call for **herbal dewormers**. Research shows viruses need a host, it is thought parasites are host so continuous deworming N/B. **BURN FELT JUNE /JULY JUST AFTER FIST RAIN, THIS IS A MUST ANNUALLY FOR HORSES.**

DIAGNOSIS / MISDIAGNOSIS

THE COST TO DIAGNOSE IS **HIGHER** THAN THE COST OF TREATMENT. So treat as though the horse is infected. **TIME IS OF THE ESSENCE**, when treating AHS. We have a much higher percentage recovery rate when horses are treated at first sign of any symptoms.

Don't take the risk of misdiagnosing? **Assume your horse may be infected with AHS**, treat immediately.

There are a number of other viruses that mimic AHS of which **ENCEPHALITIS** is the most likely. At this stage we can not distinguish between the viruses. Rather than take a chance, treat for Dik Kop. It appears to be as effective. **HERPES** symptoms are wobbly (STAGGER) on the back end; normally temperatures are lower than usual, treat with **KIT 2** and use **Herbaslim** to get temperatures up to **38.5– 39.5 degrees**.

DECEMBER THROUGH TO END OF JULY AND IF AHS IS STILL AROUND:

AHS is normally a threat from January to June. It is believed once the frost appears then the cold kills off the miggies. It is puzzling why the miggie's don't move into the coastal areas in June/July?

- Keep your horses in closed stables 2 hours before sunset until 2 hour after sunrise. This will decrease the chances of your horses coming into contact with miggies.
- Apply **paraffin** twice a day (a.m. and p.m. the lesser of evils) to your animals' coats to keep the midges away. **Don't use Pesticides**, they are hazardous and **suppress the immune system**, which is needed for survival if the animal is infected. **Citronella is an attractant to the miggie**.
- Take the rectal temperatures twice a day of all horses, mules and donkeys, (horses have individual body temperatures so you need to keep a record of each horses temperature) in order to identify infected animals as early as possible. Normally temperature change is a good indicator but if other symptoms appear without a change in temperature, administer products immediately.
- Check for swelling in the indentations above the eyes for Dik Kop, Use a stethoscope to check the lungs **or place ear on rib cage**, if they are noisy double dose. Any other muscle inflammation must be **treated immediately** by double dosing. As soon as the horse shows signs of returning back to health, single dose. **THIS ALLOWS THE IMMUNE SYSTEM TO START BUILDING ANTI BODIES.**
- **Fly screen your stables to eliminate midges entry. Cut up old tyre tubes into strips and use to seal all vent areas & doors with flaps.**

TREATMENT: IT'S A VIRUS

- Antibiotics kill bacteria not viruses! All they will do is suppress the immune system with toxic chemicals, **causing the kidney and liver to work harder** to remove the toxins.
- Anti-inflammatory DRUGS **reduce fever at a time when the fever is attempting to kill the virus?** (this is the creators design) ANTI VIRAL herbs work with the body, **the creators design**

VITAMINS, PARTICULARLY MSM+C (VITAMIN C) BOOSTED WITH DMSO WILL ASSIST IN REMOVING THE VIRUS AND OTHER TOXINS. IF ADVANCED USE IRON HORSE WHICH IS A VERY POTENT ANTI-OXIDANT ANTI-VIRAL. HERBS ASSIST IN KNOCKING & REMOVING THE VIRUS OUT, ANTI-INFLAMMATORY HERBS ASSIST IN ANY INFLAMMATION. OXY GETTING AS MUCH OXYGEN INTO THE CELLS AS POSSIBLE, HELPS ELIMINATE VIRUSES AS DOES COLLOIDAL SILVER.

- Do not move horses off your property. Doing so will increase the likelihood of other horses picking up the virus. However if the virus is indeed carried by Zebras, it will spread as the flies can travel as far as 30 kilometres in a strong wind.
- Work quietly, sick horses need sleep and rest to allow the body to recover.
- Although the disease looks horrendous, the horses don't appear to be in to much pain. The mere fact that many keep eating & drinking is an indication of this. Therefore don't shoot or have your horse put down as I have seen a few turn around just before certain death. ASK **Belinda Buys 082 895 0330** she had a horse turn around after 9 DAYS of going through all the symptoms.

- When they stop eating & drinking that's a big problem. **Call for help.**

VACCINES ARE VERY TOXIC, DON'T ALLOW YOUR SKIN TO CONTACT.

What to do!

NB. Check temperatures twice a day,

36.6 - 37.5° C is OK, if it goes **+1°C** higher than normal,

Administer: (KEEP NOTES ON EACH HORSES TEMP, THEY ARE ALL DIFFERENT). **KEEP GIVING PRODUCTS UNTIL horse is NORMAL, if condition is serious Double dose**

KIT1 - LUNG INFLAMMATION & MUSCLE INFLAMMATION

(6 PRODUCTS R525.00)

Listen to the lungs, if congested, double dose. If sweating & muscle swelling also **DOUBLE DOSE.**

DOSE

10ml COLLOIDAL (200ml) lasts 3 days	3ml OXY (50ml) lasts 4 days
5ml ANTI-VIRAL (50ml) 2 days	3ml DMSO (15ml) 5 days
5ml ANTI-INFLAMM (50ml) 4 days	20g MSM/DMSO (250gm) 5 days

KIT 2 - DIK KOP OR ENCEPHALITIS (5 PRODUCTS R450)

Observe the indentations above the eyes daily. If there's any puffiness, start dosing as illustrated below. If the **eyes are bulging, double dose + 20g MSM / DMSO** with cooking oil, until swelling comes down.

DOSE

10ml COLLOIDAL(200ml) lasts 3 days	3ml OXY (50ml) for 4 days
5ml ANTI-VIRAL (50ml) 2 days	3ml DMSO (50ml) for 5 day:
5ml ANTI-INFLAMM (50ml) 4 days	

***Administer every 4 hours** i.e. **(5 times a day)** @ 06:00a.m., @ 10a.m., @ 14.00p.m. @ 18.00p.m, @ 22.00 p.m. **If ADVANCED & or first night, dose @ 2 a.m, this could be life saving!** If your horse is **NOT** eating or drinking, use **IRON HORSE.**

Keep horses in paddock from 10 a.m. to 3 p.m, the miggie likes damp weather which is more prominent early morning & late afternoon. Wipe horses coat with paraffin twice a day.

ADD 20 DROPS 35% HYDROGEN PEROXIDE to drinking water as a **PREVENTATIVE** WHILE HORSE SICKNESS IS AROUND. **60 drops or 2ml** when treating AHS.

PREVENTITIVE: use PC1 or PC2 - 5ml per day for 8 days.

PC1 stimulates antigens (key proteins) **to recognize & produce appropriate antibodies** so that the immune system can identify the viruses. Use in September to March.

PC2 is a booster to **PC1.** Horses on **PC1** That get the virus generally experience +- 39.5 c temps but little other symptoms appear.

FEVER; Natures natural defence against viral infections

IN 1905 DRUG COMPANIES started producing synthetic Acetylsalicylic acid or the like (aspirin from coal tar?). Originally this was derived from willow bark or aspen tea. Natural acetylsalicylic acid is quite different from synthesised. Natural is positive energy. +

Fever is not a symptom of disease but is actually the body's primarily anti viral immune system. The fever stops the telomeres on the ends of the viral RNA from making copies of itself. The telomeres are like a zip which unzips and separates the RNA copy within milli seconds.

Telomeres are temperature sensitive and won't unzip at temperatures above **37.8°C**. It prefers **35.5°C** or lower, these low temperatures occur during sleep and under stress or when exposed to winter cold. NORMAL TEMPERATURES of **37°C** allowed viruses to reproduce unchecked and in 48 hours can grow from 2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 4096, 8, 192, 16, 384, 32, 772, , to billions. U get the picture.

Fevers above **38.5°C** completely stop all viral replication giving the immune system t-cells and macrophages enough time to track down and destroy invading viruses. **Artificially lowering body temperature using drugs is dicing with death no one in a white coat has out performed the creator yet. (& could actually be deadly). If U are using a substance to lower temps (because to high, in your opinion) use a little, don't let it drop below 38.5°C till health is restored.**

Annual flu vacs etc speed the process of t-cells finding & identifying certain viruses, that is all The simple way to cure viral infections is to raise the body's temperature above normal. The body will do the rest itself. When temperatures rise to **38.3°C** and above, that's your body's reaction to viral infection. Daytime temperatures of **36°C** or LESS SHOULD BE A CONCERN. This means the immune system is under stress.

Viruses enter the mucous membrane lining of the lungs, enter cells, & then makes copy of the cell that causes the cell to expand to such a degree that they burst open. The new virus then cloaks themselves with a coating taken from the old damaged cell wall or hide inside parasites, thus hiding themselves from the t-cells, the anti body immune body defence system.

The cloaked virus appears to be a piece of the body's own lung tissue. A fever stops the replication t-cells find swollen infected lung cells surround them and metabolise (literally eat) the damaged cells with strong assets which also break down the RNA virus into basic amino acids.

Viruses are not living things and you cannot kill them. All the body can do is dissolve the RNA amino acid chain which makes up viruses.

FEVER

Humans have a natural method to defeat viral infections: a fever. With a mild fever of **38°C** the telomers on the ends of the RNA molecule cannot attach and a virus cannot reproduce itself and is quickly destroyed by the body's white blood cells.

The modern treatment for a fever from a cold or flu is to reduce the fever to ease the discomfort. This is wrong. The knowledge of how to quickly and effectively cure a common cold or flu infection due to viruses has been known since ancient times. But you are not supposed to know that.

You are not supposed to know that you can quickly cure a viral infection overnight by yourself and at no cost to you. You are supposed to believe that you need costly medications and medical treatments to cure new life-threatening diseases.

BEST ADVICE

Do not try to lower a fever; it is your genetically derived natural human defence against any viral infection. Stay wrapped up and warm to cause a sweat. Drink fluids to replace the water lost by sweating. And within **6 to 8 hours** overnight, the cold or flu is gone.

Many older doctors know this, which is the reason for the old doctor's advice, "go to bed, stay warm, drink fluids." Younger doctors have been taught there is a drug or pill to treat everything.

The end result of using expensive pills or over-the-counter medications to reduce the fever from colds and flue is prolonged illness, the epidemic spread of viral diseases and the unneeded deaths of hundreds of thousands each year. Don't buy them; cure yourself the natural way. **HERBASLIM is a thermogenic; it raises the body temperature and will speed viruses on their way.**

PC1 & PC2

HOMEOPATHIC s, VIRAL vaccine & induced proteins neutralizers

Homeopathics works by subtle energy levels of our existence. It does this by manipulating the bodies' bio electric energy fields with substances called remedies.

Remedies treat disease by altering vibratory frequency. Some specific, others very general, some treat symptoms, some treat conditions. Serum proteins like those used in vaccines for immunisation can be buffered so that a Foals response will not get out of hand and destroy the nervous system, immune system, hearing or damage mental capacity. Etc, **This is now common knowledge.**

Homeopathy uses substances whose energy footprint is the same or very similar as the offending substance. If the whole body is sick, systematic frequency must be re-established. It is vital that remedies provide complementary biogenetic and nutritional support envitalised to **9 X, 20 X, 30 X and 200 X** potencies.

Universal sarcodes that work at cellular level have greater effect than specific tissue remedies. Potentisation energies the substance and makes it more powerful than it originally was.

Succession, shaking or knocking on wood of a substance so it will vibrate at a specific frequency and dilution are employed to bring about resonance and transference. Processes that involve the manipulation of Hertz rate.

Hertz (Hz) rate and frequency are related. The earth's hertz rate is about 8.1 and changes all the time as the earth wobbles on its axis. Good health is reflected Vibrational harmony. The idea is to create multiple dilutions of different frequencies that when taken into the body, will cancel disease target frequencies.

Potentised remedies treat the patient in the 4th dimension realm. Dilution and succession add power as they are electric phenomena thus remedies are concentrated energy fields that are derived from the Vibrational frequency of physical substances. Homeopathy manipulates and transfer electrical signature (frequency) hence resonance and transference.

Vaccinations are now so pervasive however their Jackal and Hyde nature is being exposed and the lawsuits that are following will annihilate these companies that produce them and the people behind them.

Vaccinations encourage the body to build immunity and anti bodies against possible future exposure to contagious diseases. The process involves the introduction of a pathogenic live form into the body in a serum of foreign proteins.

The better the match between vaccine and disease (virus), the better the immune system can respond against the virus. Mutation of viruses into something unfamiliar (HIV) is a great danger to our immune system, particularly when replication is faster than the immune response (system learning to defend against).

Key Proteins (antigens) stimulate the immune system to make appropriate anti bodies. There are many different systems of making vaccinations, the least toxic by far are homeopathic.

Immunity and antibodies that go with it are desirable, the side effects of the foreign proteins and chemicals used (MERCURY etc) to preserve vaccines are not. The immune response (reaction of the body to foreign substances) is an act of self preservation.

Anti bodies in the blood are evidence of **PAST MICROBIAL WARFARE** on a systematic level. This can show H I V or viral positive!

Natural immunity or Homeopathy is different than other vaccination induced attempts to force anti bodies formation and immunity.

Vaccinations establish resident in many troupes in the outpost throughout the body. Later when we are weak or old these foreign troupes bring out insurrection from within. Shingles etc N B G.

Vaccines create electric static because their magnetic signature is foreign to the body; their Vibrational frequency interferes with health and longevity by creating disharmony at the subtle energy levels of our body.

If anti bodies are formed an immunity is conferred it is vital to eliminate vaccination induced proteins and foreign substances from your body as before they create crippling degenerative diseases.

The best way to deal with vaccination induced proteins is to erase their signature from the body by using bio-genetic full spectrum homeopathic remedies in multiple potencies. This process does not effect immunities and anti bodies already existing.

DEWORMING THE **NATURAL** WAY STRENGTHENS IMMUNITY

As parasites have parasites and they in turn have parasites, deworming on a once off doesn't clean up completely. Worse, parasites lay eggs in intestine organs etc were they lay dormant sometimes for years, its thought the full moon pulls them out to hatch.

Approximately 80% of all parasites reside in the intestine and thereof solely using dewormers into the intestine leaves **20%** at bay living in muscle tissue, organs etc. even the heart and lungs. **80%** of all viruses also replicate and initially live in the intestine which ties their host to possible parasites.

We know that utilising anti-biotics kills good and bad bacteria and therefore damages the intestinal flora causing all kinds of havoc. It doesn't matter what chemical you use into your body or your horses, it will have an affect on the DNA which is the cell reproductory blue print and therefore damage the cells ability to produce perfect copies. Is it not the same with parasites!

We are using 24 different herbs in our complex and utilise these in a powder form and in tincture. The powder is for the intestine parasites and the tincture is designed to clean up organs etc as it is absorbed through the mucous membrane in the mouth.

The system is simple, it is **6 day** deworming doing alternate products day on, day off. As the herbs were designed by the same guy that designed the horse, they work in harmony and have many other positive effects which we have no clue what they are other than the results after deworming speak for themselves.

We have had several clients who have used these products in times of emergencies and crisis with results that have stunned long time horse owners. Call; **Irene** on **083 616 1294** or **Enid** on **082 576 7941**. **LAMINITIS** this formula has proven very successful against Laminitis, as the same parasite are the culprit .

P/M cost of deworming works out to +- **R30** a horse (use double dose, every 3 months). The advantage on this type of deworming instead of deworming every 2 months, you can deworm every 3 months. U can also switch to weekly deworming with the same products +- **R54** P/M, (single does)

Deworming should not be done unless you have measured the level of eggs per gram before you go back and deworm again, particularly if you are using chemicals as this just creates further damage to every organ in the body, particularly liver and kidneys, that has to expel foreign substances. 600 eggs per gram is ok, start dosing 2000 is high.

Chemical deworming (DRUGS R chemicals) firstly are toxic and can be anywhere from 100 to 500 times more toxic than using herbs that has no toxicity, knocking performance down for quite a few days. Once eggs spill out into an area where they can hatch, they live off the host draining vital energy and secrete some very nasty toxins that also hinder performance. It is thought the

full moon causes the eggs to spill out therefore deworming the week after full moon on a monthly basis is the most efficient way to keep performance and cost efficiency at a maximum.

RHEUMATOID arthritis Dr Roger Mason of Mississippi in his book the Causation of Rheumatoid Arthritis, states that *Indolimaxana* (a parasite) is one of the main causes of rheumatoid arthritis plus muscle and joint related problems. His thinking is 60% of parasites reside in digestive system and 40% located in the body including liver, pancreas, sinus cavities and even brain. HE LINKS **MANIC DEPRESSION AND ANXIETY, NERVOUSNESS AND MANY MENTAL DISORDERS** TO INTESTINAL PARASITES.

OSTEOARTHRITIS arthritis is caused by a microscopic parasite that eats cartilage when it has burrowed its way right through, the fluid that normally lubricates joints goes into the bone causing bow leggedness and other disfigurements. As parasite eggs are laid in the intestinal wall and organs, it appears the full moon causes these to spill out and then hatch in approximately 17 days. De-worming is necessary reasonably frequently, at least every 4 months. Alternatively one can use not toxic herbal preparations such as **Paraway & Remlax** on a weekly basis.

6 DAY D/WORM Booster Anti viral and laminitis X 2 DOSES pack. (50ml) REMLAX = 8ml X 3 days use dosing gun, alternate with (125 grams.) MSM DMSO & PARAWAY = 20 grams X 3 day ., day on day off, mix with sunflower cooking oil, . Two scoops X10gm spoon supplied. ..this also cleanses colon kidney & liver.

HORSE BOTS

Horse bots, which are found in the stomach, are the larvae of botflies, *Gasterophilus spp* .

Three major species are distributed worldwide, and a number of minor species are found in parts of Europe, Africa, and Asia. The adult flies are not parasitic and cannot feed; they exist long enough to mate and lay eggs and die as soon as the nutrients remaining from the larval stage are used, usually in ~2 wk.

The 3 important species can be differentiated in any stage of their development. The eggs of *G intestinalis* (the common bot) are glued to the hairs of almost any part of the body but especially the forelimbs and shoulders. The larvae hatch in ~1 wk when stimulated, usually by the animals' licking. The eggs of *G haemorrhoidalis* (the nose or lip bot) are attached to the hairs of the lips. The larvae emerge in 2-3 days without stimulation and crawl into the mouth. *G nasalis* (the throat bot) deposits eggs on the hairs of the submaxillary region. They hatch in ~1 wk without stimulation.

The larvae of all 3 species apparently stay embedded in the tongue or the mucosa of the mouth for ~1 mo, after which they pass to the stomach where they attach themselves to the cardiac or pyloric portions and, in the case of *G nasalis*, to the mucosa of the first part of the small intestine.

After development for ~8-10 months, they pass out in the faeces and pupate in the soil for 3-5 wk, after which the adult emerges. The main pathogenic effect is caused by larvae, which attach by oral hooks to the lining of the stomach. This induces erosions and ulcerations at the site of attachment and a hyperplastic reaction around it. However, oral stages may cause sinus tracts in which mucopurulent discharges form, especially along the lingual border of the upper, more posterior cheek teeth.

Clinical Findings and Diagnosis:

Bots cause a mild gastritis, but large numbers may be present with no clinical signs. The first instars migrating in the mouth can cause stomatitis and may produce pain on eating. The adult flies may annoy horses when they lay their eggs. Specific diagnosis of *Gasterophilus* infection is difficult and can be made by demonstrating larvae as they

pass in the feces. In the USA, the presence of gastric infections during the winter months is often assumed. History of the individual horses, knowledge of the local seasonal cycle of the fly, and observation of the yellow to cream-white bot eggs (1-2 mm) on the horse's hairs are all helpful.

Treatment:

In temperate areas, it is assumed that most animals are infected by the end of summer. Ivermectin is effective against oral and gastric stages of bots and, when used as part of a routine parasite control program, provides effective bot control throughout the season. Moxidectin is effective against gastric stages. Current recommendations for control include minimally 2 treatments annually, one ~1 mo after the first bot egg is seen on hair coats and one at the end of the botfly season.

In some locations where the botfly season is long, additional treatments may be necessary. Although there is no satisfactory method for protecting exposed horses from attack by the adult flies, bot control programs, when applied on a regional basis to all horses, markedly reduce fly numbers and larval infections.